

USER MANUAL HEAT PAD

This Mangrove Jack's heating pad will ensure constant brewing temperature which is crucial for the success of brewing beer, wine or spirits.

Cheers!

Model no. 55430 - NZ/Australia Model no: 55435 - USA/Canada Model no. 55430 - UK/EU



Carefully read these instructions and save for future reference.

IMPORTANT SAFEGUARDS

- 1. Read all instructions carefully.
- 2. Do not cover or wrap the Heat Pad with any material or object that will prevent heat dissipation (such as a tea towel or blanket).
- 3. The top surface of the heat pad can only be covered by the vessel it is intending to maintain the temperature of (eg 30 L (7.9 US Gal) fermenter).
- 4. Unplug from outlet when not in use and before cleaning.
- 5. Do not use appliance for any purpose other than intended use.
- 6. Before using the Heat Pad, check whether the voltage indicated corresponds with the electric outlet (240V or 120V).
- 7. Do not use the Heat Pad if the cord or plug is damaged.
- 8. Always use on a solid heat resistant surface. Do not use on soft surface (eg carpeted floor).
- 9. Do not use for warming animals.
- 10. If the Heat Pad malfunctions or has been damaged in any manner, return it to your nearest retail service provider for examination and repair.
- 11. Always switch off before removing plug from the outlet.
- 12. Always switch off before trying to move the Heat Pad.
- 13. Remove the plug by grasping the plug. Do not pull the cord.
- 14. Do not let cord hang over edge of counter.
- 15. Do not place the Heat Pad on or near hot surfaces, a gas stove, electric burner or heated oven.
- To protect against fire, electric shock and injury to persons, do not immerse cords or plugs in water or other liquid.
- This appliance should not be operated by persons (including children) with reduced physical, sensory or mental capabilities, or lack of experience or knowledge, unless they have been given supervision or instruction concerning the safe use of the appliance by a person responsible for their safety.
- 18 Children should be supervised to ensure that they do not play with the appliance.

MODEL No.	POWER	VOLTAGE	MARKET GUIDE	ENVIRONMENTAL TEMPERATURE IN USE
55430	25W	220-240V, 50Hz	Australia/ New Zealand/UK/EU	12-15℃ (53-59°F)
55435	25W	120V, 60Hz	USA & Canada	12-15°C (53-59°F)

INSTRUCTIONS FOR USE

- 1. Remove all packaging before use.
- 2. Place the Heat Pad on a flat, solid, stable, heat resistant surface. Do not use on soft surface (eg carpeted floor). Make sure it is kept away from the edge of the counter to avoid any accidents.
- Measuring 31.5 x 31.5 cm (12.5 x 12.5 in) the Heat Pad is designed to be used under a 24 28 L (6.3-7.4 US Gal) fermentation bucket or barrel.
- 4. Don't use in the first 24 hours of fermentation.
- 5. Plug the Heat Pad into a local outlet.
- 6. The Heat Pad will keep your brew warm with constant, steady heat.
- 7. Place the container onto the Heat Pad.

Household use only.



CORRECT DISPOSAL OF THIS PRODUCT

This marking indicates that this product should not be disposed with other household wastes throughout the EU. To prevent possible harm to the environment or human health from uncontrolled waste disposal, recycle it responsibly to promote the sustainable reuse of material resources. To return your used device, please use the return and collection systems or contact the retailer where the product was purchased. They can take this product for environmentally safe recycling.



PRODUCT NAME: HEAT PAD

Model No: 55430 220-240V ~ 50Hz, 25W

Model No. 55435

120V ~ 60Hz, 25W Made in China

ELECTRIC CIRCUIT DIAGRAM

CODE	ITEM NAME
х	Riveting Terminal
EH1	Heating Wire



WWW.MANGROVEJACKS.COM

A wide range of additional brewing accessories and Mangrove Jack's gear is available from our website.

Please refer to our website for more information on retail outlets or to shop online.



WWW.MANGROVEJACKS.COM

